

Dihydromyrcenol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/09/2013 Version: 1.0

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Substance	
rade name : Dihydromyrcenol		
CAS No	: 18479-58-8	
Product code	: D2000	
Formula	: C10H20O	
	2,6-dimethyloct-7-en-2-ol / 7-octen-2-ol, 2,6-dimethyl- / dihydromyrcenol / Substances with a	
flash-point above 60 °C and not more than 100 °C / Substances with a flash-point above 60 ° and not more than 100 °C, which do not belong to another class		
	: 30704	
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against	
Use of the substance/mixture	: Detergent: odorant Cosmetic product: odorant	
1.3. Details of the supplier of the safety d	ata sheet	
CHEMTEX USA 27-29 Dwight Place Fairfield, 07004 - USA T 862-702-8900 - F 862-702-8180 contact@chemtexusa.com - www.chemtexusa.com	<u>m</u>	
1.4. Emergency telephone number		
Emergency number	: CHEMTEL:(800)255-3924	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mi	xture	
Classification (GHS-US) Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Irrit. 2A H319		
Full text of H-phrases: see section 16		
·		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	GHS07	
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation	
Precautionary statements (GHS-US): P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P264 - Wash skin thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see supplemental first aid label on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use carbon dioxide (CO2), foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous		
06/03/2015	EN (English US) Page 1	

Dihydromyrcenol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

waste

Other hazards Io additional information available				
2.4. Unknown acute toxicity (GHS-U	S)			
Not applicable	·			
SECTION 3: Composition/information	ation on i	naredients		
3.1. Substance				
		Droduct identifier	%	Classification (CHC US)
Name Dihydromyrcenol		Product identifier (CAS No) 18479-58-8	7 0 100	Classification (GHS-US) Flam. Liq. 4, H227
(Main constituent)			100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
	with Vorr warr phys mou	Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	Ass	Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Assure fresh air breathing. Allow the victim to rest.		
First-aid measures after skin contact	plen	Rinse with water. Soap may be used. Take victim to a doctor if irritation persists. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label). Rinse cautiously with water for several minutes. Rinse immediately with plenty of water. Do not		
First-aid measures after eye contact	appl cont	e cautiously with water for several minute y neutralizing agents. Take victim to an o act lenses, if present and easy to do. Cor ce/attention.	phthalmologist	if irritation persists. Remove
First-aid measures after ingestion	vom serv	Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms and e	effects, both	acute and delayed		
Symptoms/injuries after inhalation	: No c	data available.		
Symptoms/injuries after skin contact	: Sligl	Slight irritation. Causes skin irritation.		
Symptoms/injuries after eye contact	: Irrita	Irritation of the eye tissue. Causes serious eye irritation.		
Symptoms/injuries after ingestion	: No c	No data available.		
	dical attenti	on and special treatment needed		
No additional information available				
SECTION 5: Firefighting measure	es			
5.1. Extinguishing media				
Suitable extinguishing media		Water spray. BC powder. Carbon dioxide. Sand/earth. Dry sand. Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media		Solid water jet ineffective as extinguishing medium. Foam ineffective as extinguishing medium. Do not use a heavy water stream.		
5.2. Special hazards arising from the	e substance	or mixture		
Fire hazard	: DIR	DIRECT FIRE HAZARD. Material presenting a fire hazard. INDIRECT FIRE HAZARD. Temperature above flashpoint: higher fire/explosion hazard. Combustible liquid.		
Explosion hazard	EXP	DIRECT EXPLOSION HAZARD. No data available on direct explosion hazard. INDIRECT EXPLOSION HAZARD. No data available on indirect explosion hazard. May form flammable/explosive vapor-air mixture.		
06/03/2015		adich US)		2/8

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
Protection during firefighting	 Heat/fire exposure: compressed air/oxygen apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equ	ipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.		
6.1.1. For non-emergency personnel			
Protective equipment	: Gloves. Safety glasses. Protective clothing.		
Emergency procedures : Mark the danger area. No naked flames. Evacuate unnecessary personnel.			
6.1.2. For emergency responders			
Protective equipment : Equip cleanup crew with proper protection.			
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up			

For containment	: Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply.
Methods for cleaning up	: Take up liquid spill into inert absorbent material, e.g.: sand/earth. Scoop absorbed substance into closing containers. See "Material-handling" for suitable container materials. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Precautions for safe handling	: Comply with the legal requirements. Keep away from naked flames/heat. At temperature > flashpoint: use spark-/explosionproof appliances. Finely divided: spark- and explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Observe normal hygiene standards. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Wash hands and other exposed areas with mild soap and water before eat, drink smoke and when leaving work. Provide good ventilation in process area to prevent formation vapor. No naked lights. No smoking.	or
Hygiene measures	: Wash thoroughly after handling.	
7.2. Conditions for safe storage, including	ng any incompatibilities	
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Keep in fireproof place.	
Incompatible products	Strong bases. strong acids.	
Incompatible materials	Sources of ignition. Direct sunlight. Heat sources.	
Storage temperature	: 15 °C	
Heat-ignition	KEEP SUBSTANCE AWAY FROM: heat sources.	
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents.	
Storage area	: Store in a cool area. Store in a dry area. Ventilation at floor level. Keep only in the original container. Meet the legal requirements. Keep out of direct sunlight.	
Special rules on packaging	: SPECIAL REQUIREMENTS: hermetical. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.	
06/03/2015	EN (English US) 3	/8

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packaging materials

: SUITABLE MATERIAL: aluminium. glass.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection				
8.1. Control param	neters			
Dihydromyrcenol (18479-58-8)				
ACGIH	Not applicable			
OSHA	Not applicable			
8.2. Exposure con	ntrols			

Personal protective equipment	: Avoid all unnecessary exposure.
Materials for protective clothing	: GIVE EXCELLENT RESISTANCE: No data available. GIVE GOOD RESISTANCE: No data available. GIVE LESS RESISTANCE: No data available. GIVE POOR RESISTANCE: No data available.
Hand protection	: Gloves. Wear protective gloves.
Eye protection	: Safety glasses. Chemical goggles or safety glasses.
Skin and body protection	: Protective clothing. Wear suitable protective clothing.
Respiratory protection	: Respiratory protection not required in normal conditions. Wear approved mask.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: Colourless
Odor	: Lemon odour Floral odour Strong odour
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 194 °C
Flash point	: 76 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 0.83
Relative vapor density at 20 °C	: 5.4
Molecular mass	: 156.27 g/mol
Solubility	: Soluble in ethanol.
Log Pow	: 3.47 (Estimated value)
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Other properties	: Gas/vapour heavier than air at 20°C. Slightly volatile.
00/00/00/	

Dihydromyrcenol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 10: Stability and reactivity		
10.1.	Reactivity		
Upon co	ombustion: CO and CO2 are formed.		
10.2.	Chemical stability		
Stable u	under normal conditions. Combustible liquid. May form flammable/explosive vapor-air mixture.		
10.3.	Possibility of hazardous reactions		
Not established.			
10.4.	Conditions to avoid		
Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.			
10.5.	Incompatible materials		
strong acids. Strong bases.			
10.6.	Hazardous decomposition products		

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTI	ION 11: Toxicological information	
11.1.	Information on toxicological effects	

Acute toxicity

: Not classified

Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	3600.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: No data available.
Symptoms/injuries after skin contact	: Slight irritation. Causes skin irritation.
Symptoms/injuries after eye contact	: Irritation of the eye tissue. Causes serious eye irritation.
Symptoms/injuries after ingestion	: No data available.

SECTION 12: Ecological information				
12.1.	Toxicity			
Ecology	- air :	Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.5/I.		
Ecology	- water	Mild water pollutant (surface water). Ground water pollutant. No data available on ecotoxicity.		
12.2.	Persistence and degradability			
Dihydromyrcenol (18479-58-8)				
Persist	Persistence and degradability Biodegradability in water: no data available. Not established.			
12.3.	Bioaccumulative potential			
Dihydromyrcenol (18479-58-8)				
Log Po	Log Pow 3.47 (Estimated value)			
Bioaccumulative potential Not established.		Not established.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste disposal recommendations	: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove to an authorized incinerator with energy recovery. Use appropriate containment to avoid environmental contamination. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.			
Additional information	: LWCA (the Netherlands): KGA category 03. Hazardous waste according to Directive 2008/98/EC. Handle empty containers with care because residual vapors are flammable.			
Ecology - waste materials	: Avoid release to the environment.			
OFOTION 44. Them an entire formation				

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN1993 Flammable liquids, n.o.s., 3, III
- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242
- : G Identifies PSN requiring a technical name
- : B1 If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

Dihydromyrcenol Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Additional information		
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea No additional information available		

Air transport

No additional information available

SECTION 15: Regulatory information				
15.1. US Federal regulations				
Dihydromyrcenol (18479-58-8)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
15.2. International regulations				
CANADA				
No additional information available				
EU-Regulations				
No additional information available				
Classification according to Regulation (EC) No. 1272/2008 [CLP]				
Eye Irrit. 2 H319 Full text of H-phrases: see section 16				
Full text of m-philases. See section to				
Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]				
Xi; R36				
Full text of R-phrases: see section 16				
National regulations No additional information available				
15.3. US State regulations				
No additional information available				

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation

SDS US (GHS HazCom 2012)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disclaimer:

150 River Road, Suite G3B, Montville, NJ 07045. Ph. # (973) 335-2500; Fax # (973) 335-2552.

CHEMTEX USA, INC. Provides the information contained herein in a good faith but makes no representation as to its comprehensiveness or accuracy. Certain data contain in this document is taken from literature and or referred from other sources available in the web. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose and take the responsibility for observing existing laws and regulations.